



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D2571

Job Sheet 192894



Part No: D2571

Job Qty: 14 pcs

Part Name: Saddle, Fwd, Out



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 4/3/19

Job Tracking No:

Due Date: 5/1/19

Created By: Marie Lajeunesse

Type: SOLD

Description: *oreen 14605*

Note: DWG REV F IPP: I 02.10.02 Re-format; Change to Dwg Rev. D & incorporated D2572 KJ

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	HAAS 4 Axis	14 pcs	5/1/19		0.57	22.58	HAAS - 1		
							HAAS - 2		
							HAAS - 3		<i>5B2 19/04/27</i>
							HAAS - 4		
110	Conventional Mill - 1 - B4B	14 pcs	5/1/19		0.00	2.15	Conventional Mill - 1 - B4B		<i>5BL 19/04/27</i>
							Conventional Mill - 2 - B4B		
120	QC 2	14 pcs	5/1/19		0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 56		



Container No: S173807



Part: D2571

Job No: 192894

Serial No/Batch: S173807

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 04/22/19

					QC 2 - 57	SBL 19/04/27
					QC 2 - 62	
					QC 2 - 63	
					QC 2 - 8	
					QC 2 - 66	
					QC 2 - 64	
					QC 2 - 65	
					QC 2 - 5	
					QC 8 - 12	
					QC 8 - 14	
					QC 8 - 17	
					QC 8 - 20	
					QC 8 - 25	
130 QC 8	14 pcs	5/1/19	0.00	0.00	QC 8 - 12	
					QC 8 - 14	
					QC 8 - 17	
					QC 8 - 20	
					QC 8 - 25	
					QC 8 - 3	
					QC 8 - 32	
					QC 8 - 33	
					QC 8 - 35	
					QC 8 - 39	
					QC 8 - 4	
					QC 8 - 44	
					QC 8 - 45	
					QC 8 - 49	
					QC 8 - 58	
					QC 8 - 8	
					QC 8 - 9	
					QC 8 - 68	
					QC 8 - 67	
					QC 8 - 1 (A)	
					QC 8 - 47	
					QC 8 - 40	
					QC 8 - 52	
					QC 8 - 23	
140 Handfinish - 1-1 Chemical- B4B	14 pcs	5/1/19	0.00	0.47	Handfinish - 1 - 1 - B4B	
					Handfinish - 1 - 2 - B4B	
					Handfinish - 1 - 3 - B4B	
					Handfinish - 1 - 4 - B4B	
					Handfinish - 1 - 5 - B4B	
					Handfinish - 1 - 6 - B4B	
					Handfinish - 1 - 7 - B4B	
					Handfinish - 1 - 8 - B4B	
					Handfinish - 1 - 9 - B4B	
					Handfinish - 1 - 10 - B4B	
					Handfinish - 1 - 11 - B4B	
					Handfinish - 1 - 12 - B4B	
					Handfinish - 1 - 13 - B4B	
					Handfinish - 1 - 14 - B4B	
					Handfinish - 1 - 15 - B4B	
					Handfinish - 1 - 16 - B4B	
					Handfinish - 1 - 17 - B4B	
					Handfinish - 1 - 18 - B4B	
					Handfinish - 1 - 19 - B4B	

				Handfinish - 1 - 20 - B4B	
				Handfinish - 1 - 21 - B4B	
				Handfinish - 1 - 22 - B4B	
150 Powdercoat - 1 White Gl(A)- B4B	14 pcs	5/1/19	0.00 0.56	Powdercoat - 1 - B4B	
				Powdercoat - 2 - B4B	
				Powdercoat - 3 - B4B	
				Powdercoat - 4 - B4B	
160 QC 3	14 pcs	5/1/19	0.00 0.00	QC 3 - 10	
				QC 3 - 13	
				QC 3 - 15	
				QC 3 - 17	
				QC 3 - 18	
				QC 3 - 2	
				QC 3 - 28	
				QC 3 - 3	
				QC 3 - 30	
				QC 3 - 34	
				QC 3 - 36	
				QC 3 - 41	
				QC 3 - 51	
				QC 3 - 58	
				QC 3 - 59	
				QC 3 - 68	
				QC 3 - 9	
				QC 3 - 40	
				QC 3 - 19	
170 Packaging 3-1 - Stock - B4B	14 pcs	5/1/19	0.00 0.00	Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	

BR 19-4-30

START: 1:20 O.V.T. 300° FINISH: 1:50

APR 30 2019 DAS 40 9-89

P.C. MAY 01 2019 397

					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
180 QC 21 - SA	14 pcs	5/1/19	0.00	0.00	QC 21 - SA - 21	DAS
					QC 21 - SA - 70	21
					QC 21 - SA - 53	9-35

Part Op 100 - (HAAS CNC vertical machine #1) Program Batch No. 5173807 Double check by: amk 1-Machine Step No 1
 Descriptions: per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and inspect
 110 - (Manufacture as per dwg) Machine keyway as per dwg D2571 & D2572
 120 - (QC2- Inspect parts off machine FAI/FAIB) Inspect on CMM as per folio CMM022.
 130 - (QC8- Inspect parts - second check)
 140 - (Chemical Conversion Coat per QSI005 4.1)
 150 - (White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum) START TIME: _____ FINISH TIME: _____
 160 - (QC3- Inspect Part Finish)
 170 - (Identify as per dwg & Stock Location: _____)
 180 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6101-007	Saddle Billet	14 pcs (1 ea)	100-HAAS 4 Axis	5166593x4 5166702x10

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-HAAS 4 Axis	D6101-007	14	71	0

Part Specifications

Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Saddle, Fwd Outboard	0.438Inches + 0.005 - 0.000	0.443 0.438		
2	Saddle, Fwd Outboard	1.745Inches + 0.010 - 0.000	1.755 1.745		
3	Saddle, Fwd Outboard	3.495Inches + 0.010 - 0.000	3.505 3.495		
4	Saddle, Fwd Outboard	1.745Inches + 0.010 - 0.000	1.755 1.745		
5	Saddle, Fwd Outboard	7.990Inches + 0.020 - 0.000	8.010 7.990		
6	Saddle, Fwd Outboard	0.490Inches + 0.020 - 0.000	0.510 0.490		
7	Saddle, Fwd Outboard	0.257Inches + 0.005 - 0.000	0.262 0.257		
8	Saddle, Fwd Outboard	0.375Inches + 0.005 - 0.000	0.380 0.375		
9	Saddle, Fwd Outboard	0.490Inches + 0.020 - 0.000	0.510 0.490		
10	Saddle, Fwd Outboard	1.174Inches + 0.010 - 0.000	1.184 1.174		
11	Saddle, Fwd Outboard	0.558Inches + 0.020 - 0.000	0.578 0.558		
12	Saddle, Fwd Outboard	1.174Inches + 0.010 - 0.000	1.184 1.174		
13	Saddle, Fwd Outboard	1.490Inches + 0.010 - 0.000	1.500 1.490		
14	Saddle, Fwd Outboard	2.495Inches + 0.010 - 0.000	2.505 2.495		
15	Saddle, Fwd Outboard	3.869Inches + 0.010 - 0.000	3.879 3.869		
16	Saddle, Fwd Outboard	0.115Inches + 0.020 - 0.000	0.135 0.115		

17	Saddle, Fwd Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
18	Saddle, Fwd Outboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
19	Saddle, Fwd Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
20	Saddle, Fwd Outboard	0.178Inches	+ 0.020 - 0.000	0.198 0.178
21	Saddle, Fwd Outboard	2.940Inches	+ 0.040 - 0.000	2.980 2.940
22	Saddle, Fwd Outboard	0.230Inches	+ 0.020 - 0.000	0.250 0.230
23	Saddle, Fwd Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
24	Saddle, Fwd Outboard	0.308Inches	+ 0.005 - 0.000	0.313 0.308
25	Saddle, Fwd Outboard	0.760Inches	+ 0.005 - 0.000	0.765 0.760
26	Saddle, Fwd Outboard	0.352Inches	+ 0.020 - 0.000	0.372 0.352
27	Saddle, Fwd Outboard	0.470Inches	+ 0.060 - 0.000	0.530 0.470
28	Saddle, Fwd Outboard	0.615Inches	+ 0.020 - 0.000	0.635 0.615
29	Saddle, Fwd Outboard	0.053Inches	+ 0.020 - 0.000	0.073 0.053
30	Saddle, Fwd Outboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
31	Saddle, Fwd Outboard	1.375Inches	+ 0.020 - 0.000	1.395 1.375
32	Saddle, Fwd Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
33	Saddle, Fwd Outboard	0.240Inches	+ 0.040 - 0.000	0.280 0.240
34	Saddle, Fwd Outboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
35	Saddle, Fwd Outboard	2.000Inches	+ 0.020 - 0.000	2.020 2.000
36	Saddle, Fwd Outboard	0.023Inches	+ 0.020 - 0.000	0.043 0.023

Plex 4/3/19 1:10 PM Dart.lajeunesse.marie

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

DART AEROSPACE LTD	Work Order: 192 894
Description: Saddle, Fwd Outboard	Part Number: D2571
Inspection Dwg: D2571 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		7.998	7.998	8.000	8.000		
F	0.490	0.510		.499	.500	.501	.500		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.376	.376	.376	.376		
I	0.490	0.510		.500	.500	.501	.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.567	.567	.567	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		.130	.130	.132	.127		
Q	0.115	0.135		.125	.125	.125	.125		
R	0.240	0.260		.251	.252	.251	.252		
S	0.115	0.135		.132	.131	.130	.130		
T	0.178	0.198		.188	.188	.188	.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		.240	.239	.239	.239		
W	0.115	0.135		.125	.126	.123	.126		
X	0.308	0.313		.311	.311	.309	.310		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.362	.362	.365	.363		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.625	.625	.625	.625		
AC	0.053	0.073		.067	.065	.065	.068		
AD	0.240	0.260		.250	.249	.249	.250		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		.128	.126	.128	.130		
AG	0.240	0.280		.256	.250	.250	.250		
AH	0.240	0.260		.248	.248	.247	.247		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	.033		

Accept/Reject

Measured by: <i>VHS</i>	Audited by: <i>mf</i>
Date: 19/4/26	Date: 19/04/27

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order: 192 894
Description: Saddle, Fwd Outboard	Part Number: D2571
Inspection Dwg: D2571 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	15	26	37	48	By	Date
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.001	8.000	7.999		
F	0.490	0.510		0.501	0.502	0.500	0.500		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.376	0.376	0.376	0.376		
I	0.490	0.510		0.500	0.501	0.502	0.499		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.567	0.569	0.568	0.565		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.128	0.132	0.135	0.135		
Q	0.115	0.135		0.124	0.125	0.124	0.125		
R	0.240	0.260		0.251	0.251	0.251	0.251		
S	0.115	0.135		0.131	0.132	0.131	0.132		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.239	0.239	0.239	0.240		
W	0.115	0.135		0.123	0.125	0.125	0.121		
X	0.308	0.313		0.310	0.311	0.311	0.311		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.364	0.364	0.364	0.363		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.627	0.627	0.627	0.627		
AC	0.053	0.073		0.060	0.066	0.064	0.065		
AD	0.240	0.260		0.249	0.250	0.249	0.252		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.127	0.128	0.135	0.135		
AG	0.240	0.280		0.250	0.250	0.250	0.250		
AH	0.240	0.260		0.251	0.249	0.260	0.260		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.043	0.034	0.033	0.033		
Accept/Reject									

Measured by: 57	Audited by: <i>anf</i>
Date: 9-89 19/04/27	Date: 19/04/27

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	<i>KA</i>

DART AEROSPACE LTD	Work Order: 192 894
Description: Saddle, Fwd Outboard	Part Number: D2571
Inspection Dwg: D2571 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1 9	2 10	3 11	4 12		
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.501	0.501	0.501	0.501		
G	0.257	0.262		0.257	0.257	0.257	0.257		
H	0.375	0.380		0.375	0.375	0.375	0.375		
I	0.490	0.510		0.501	0.5025	0.5025	0.502		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.568	0.568	0.568	0.567		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.130	0.130	0.130	0.130		
Q	0.115	0.135		0.126	0.126	0.125	0.125		
R	0.240	0.260		0.251	0.251	0.251	0.251		
S	0.115	0.135		0.131	0.131	0.131	0.131		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.238	0.241	0.241	0.240		
W	0.115	0.135		0.123	0.125	0.123	0.123		
X	0.308	0.313		0.311	0.311	0.311	0.310		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.363	0.364	0.364	0.365		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.627	0.627	0.626	0.625		
AC	0.053	0.073		0.063	0.063	0.066	0.064		
AD	0.240	0.260		0.253	0.252	0.251	0.250		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.135	0.130	0.130	0.130		
AG	0.240	0.280		0.250	0.250	0.250	0.250		
AH	0.240	0.260		0.260	0.260	0.260	0.260		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject									

Measured by: DAS
Date: 57 19/04/27
9-89

Audited by: gml
Date: 19/04/27

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order: 192 894
Description: Saddle, Fwd Outboard		Part Number: D2571
Inspection Dwg: D2571 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1/3	2/4	3	4	By	Date
A	0.438	0.443		438	438				
B	1.745	1.755		1750	1750				
C	3.495	3.505		3500	3500				
D	1.745	1.755		1750	1750				
E	7.990	8.010		8000	8000				
F	0.490	0.510		500	499				
G	0.257	0.262		0257	0257				
H	0.375	0.380		0375	0375				
I	0.490	0.510		501	501				
J	1.174	1.184		1174	1179				
K	0.558	0.578		568	568				
L	1.174	1.184		1174	1179				
M	1.490	1.500		1493	1493				
N	2.495	2.505		2500	2500				
O	3.869	3.879		3874	3874				
P	0.115	0.135		132	132				
Q	0.115	0.135		125	125				
R	0.240	0.260		250	250				
S	0.115	0.135		131	130				
T	0.178	0.198		0188	0188				
U	2.940	2.980		2960	2960				
V	0.230	0.250		239	239				
W	0.115	0.135		123	124				
X	0.308	0.313		310	310				
Y	0.760	0.765		760	760				
Z	0.352	0.372		362	363				
AA	0.470	0.530		0500	0500				
AB	0.615	0.635		624	625				
AC	0.053	0.073		063	062				
AD	0.240	0.260		250	256				
AE	1.375	1.395		1385	1385				
AF	0.115	0.135		130	130				
AG	0.240	0.280		0250	0250				
AH	0.240	0.260		252	252				
AI	2.000	2.020		2000	2000				
AJ	0.023	0.043		033	033				
Accept/Reject									

Measured by:	DAS
Date:	57 9/04/27

Audited by:	
Date:	19/04/27

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	